

## CLAIM AMENDMENTS

### Listing of Claims:

Claim 1 (currently amended): A sampling container constructed of metal, aluminum, steel, plastic, polymer or carbon fiber capable of containing gas or fluid under pressure comprising:  
a body,  
a first body end,  
a second body end, said second body end further comprising a rolled body cap seat, an annular ring said annular ring having a lower external surface, and lower internal surface,  
a mountable body cap sealably disposed within said second body end,  
said sampling container further comprising a ~~plurality of first demountable pin activated valve assemblies~~ first demountable pin activated valve assembly and a second demountable pin activated valve assembly sealably connected to said container whereby a gas or fluid may enter, and be retained or flow through and exit said container,

Claim 2 (canceled)

Claim 3 (currently amended): The sampling container of Claim 1 wherein said ~~plurality of demountable valve assemblies further comprises:~~

——— a first demountable pin activated valve assembly ~~sealably~~ is sealably disposed through said first body end,  
a ~~second~~ and said second demountable pin activated valve assembly ~~sealably is~~ sealably disposed through said mountable body cap whereby a gas or fluid may enter through said first demountable pin activated valve assembly, flow through said body and exit through said second demountable pin activated valve assembly.

Claim 4 (currently amended): The container of Claim 3 wherein said first demountable pin activated valve assembly and said second demountable pin activated valve assembly are self sealing ~~upon release of said force upon said sealing pin~~ whereby said gas or fluid may be retained within said container under pressure.

Claim 5 (previously presented): The container of Claim 4 wherein said first demountable pin activated valve assembly and said second demountable pin activated valve assembly are activated by said sealing pin being slidably disposed within said valve housing by said force.

Claim 6 (previously presented): The container of Claim 1 wherein said first body end is a closed end and said second body end is open end.

Claim 7 (canceled)

Claim 8 (canceled)

Claim 9 (previously presented): The container of Claim 6 wherein said second body end exhibits a rolled body cap seat.

Claim 10 (canceled)

Claim 11 (previously presented): The container of Claim 1 further comprising a seal, wherein said mountable body cap further comprises a body cap base through which said second demountable pin activated valve assembly is sealably disposed, body cap walls, said body cap walls forming a partially rolled flange whereby when said mountable body cap is disposed within said second body end, wherein said partially rolled flange sealably communicates with said rolled body cap seat said seal disposed between said partially rolled flange and said rolled body cap seat.

Claim 12 (previously presented): The sampling container of Claim 11 wherein said partially rolled flange is extended over said upper surface of said annular ring and onto said lower external surface of said annular ring to an extent whereby said mountable body cap is retained within said second body end.

Claim 13-15 (canceled)

Claim 16 (previously presented): The sampling container of Claim 11 wherein said body cap walls extend within said second body end and below said annular ring, whereby said body cap wall is flared outward forming an expanded lip making contact with said annular ring lower internal surface.

Claim 17 (previously presented): The container of Claim 16 whereby said expanded lip provides pressure on said annular ring sealably communicating with said annular ring whereby said mountable body cap is retained within said second body end.

Claim 18 (canceled)

Claim 19 (currently amended): The sampling container of Claim 1 ~~where in the demountable pin activated valve assembly~~ where in said first demountable pin activated valve assembly and said second demountable pin activated valve assembly further comprises:

a valve housing,

a sealing pin slidably disposed within said valve housing.

Claim 20 (currently amended): ~~The plurality of valves of~~ The sampling container of Claim 3 wherein said first demountable pin activated valve assembly and said second demountable pin activated valve assembly may be opened simultaneously by forces in opposing direction.

Claim 21 (currently amended): ~~The plurality of valves of~~ The sampling container of Claim 3 wherein said first demountable pin activated valve assembly and said second demountable pin activated valve assembly may be opened independently.

Claim 22 (previously presented): The sampling container of Claim 6 wherein said first demountable pin activated valve assembly is sealably disposed through said first body end.

Claim 23 (previously presented): The sampling container of Claim 9 wherein said rolled body cap seat comprises an annular ring said annular ring having an upper surface, a lower external surface, a lower internal surface and circumference less than the circumference of said body.